







```
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) [:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) [:Common Name (eg,
your name or your server's hostname) [:Email Address
[::.....+......+......+......+......+......+......+......+......+
...+......+*****.....+*****
+*****+******.+......+......+......+......+......+.
.....+......+......+......+......+......+......+......+.
+......+......+......+......+......+......+......+......
+......+......+......+......+......+......+......+......
...+......+......+......+......+......+......+......+.
.....+......+......+......+......+......+......+......
+......+......+......+......+......+......+......+......
+......+......+......+......+......+......+......+......
.....+......+......+......+*****
>
```

```
.+......+......+......+......+......+......+......+......+.
+......+......+......+......+......+......+......+.
+*****+******.+......+......+......+......+......+.
+*****+******......+......+......+......+......+......+
```

```
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
```

```
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) [:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) [:Common Name (eg,
your name or your server's hostname) [:Email Address [::
> Please enter the following 'extra' attributes
> to be sent with your certificate request
> A challenge password [:An optional company name [:Error adding
request extensions from section server
> 409760A26A7A0000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 409760A26A7A0000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 409760A26A7A0000:error:11000079:X509 V3 routines:v2i_AUTHORITY_KEYID:no
issuer certificate:crypto/x509/v3_akid.c:156:
> 409760A26A7A0000:error:11000080:X509 V3
routines:X509V3_EXT_nconf_int:error in
extension:crypto/x509/v3_conf.c:48:section=server,
name=authorityKeyIdentifier, value=keyid,issuer:always
>
```

```
.....+......+......+......+*****
+*......+......+......+......+......+......+......+.
+......+......+......+......+......+*****
+*****+******......+......+......+......+......+.
+......+......+......+......+......+......+......+
```

```
.....+...+.....+...+.....+...+.....+...
.....+..+.+.....+...+.+.....+.....+.....+.....+.+..+
.....+.+.....+.+.....+.+.....+++++
>
.....+.+..+.+.+.....+.+.....+.+.+.....+.+.....+.+.....+.....
+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
...+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
+++++.....*.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....*
..+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
...+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
..++++
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) []:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) []:Common Name (eg,
your name or your server's hostname) []:Email Address
[:.....+.+.....+.+.....+.+.....+++++.....
++*.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
+++++.....*.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
...+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
..+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....
..++++
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
```



























```
+++++*...+.....+...+...+
...+.....+...+...+...+
..+...+.....++++
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) []:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) []:Common Name (eg,
your name or your server's hostname) []:Email Address []:
> Please enter the following 'extra' attributes
> to be sent with your certificate request
> A challenge password []:An optional company name []:Error adding
request extensions from section server
> 40F7B8BE357D0000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 40F7B8BE357D0000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 40F7B8BE357D0000:error:11000079:X509 V3 routines:v2i_AUTHORITY_KEYID:no
issuer certificate:crypto/x509/v3_akid.c:156:
> 40F7B8BE357D0000:error:11000080:X509 V3
routines:X509V3_EXT_nconf_int:error in
extension:crypto/x509/v3_conf.c:48:section=server,
name=authorityKeyIdentifier, value=keyid,issuer:always
>
..+...+.....+.....+...+...+.....+...+++++
+++++*..+...+...+...+...+.....+...+...+...+
..+...+.....+...+...+...+...+...+...+...+...+.....+
.....+.....+...+...+...+...+...+...+...+...+...+...+
+...+.....+...+...+...+...+...+...+...+...+...+...+
...+...+...+...+...+...+...+...+...+...+...+...+...+
+.....+.....+...+...+...+...+...+...+...+...+...+...+
+...+...+...+...+...+...+...+...+...+...+...+...+...+
+.....+.....+...+...+...+...+...+...+...+...+...+...+
...+...+...+...+...+...+...+...+...+...+...+...+...+
..+...+...+...+...+...+...+...+...+...+...+...+...+
..+++++
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
```

```
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) [:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) [:Common Name (eg,
your name or your server's hostname) [:Email Address
[:..+...+++++*..+...+.....+.
+.....+...+.....+.+.....+.....+.....+++++
+++++*..+...+.....+.+...+...+....+
>
.+.....+++++*.+.....+.+.....+.
..+...+...+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.....+..+...+...+...+...+...+...+...+...+...+...+...+...+...+
+++++*.....+.+.....+.+.....+.+.....+.
..+...+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
..+...+.....+.+...+...+...+...+...+...+...+...+...+...+...+
+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
+.+...+...+...+...+...+...+...+...+...+...+...+...+...+
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) [:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) [:Common Name (eg,
your name or your server's hostname) [:Email Address [:
> Please enter the following 'extra' attributes
> to be sent with your certificate request
> A challenge password [:An optional company name [:Error adding
request extensions from section server
> 4037D51D6479000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 4037D51D6479000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 4037D51D6479000:error:11000079:X509 V3 routines:v2i_AUTHORITY_KEYID:no
issuer certificate:crypto/x509/v3_akid.c:156:
> 4037D51D6479000:error:11000080:X509 V3
routines:X509V3_EXT_nconf_int:error in
extension:crypto/x509/v3_conf.c:48:section=server,
name=authorityKeyIdentifier, value=keyid,issuer:always
>
.....+.....+++++*..
..+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
+++++*.....+.+.....+.+.....+.+.....+.
..+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.
..+.....+.+.....+.+.....+.+.....+.+.....+.+.....+.+.....+
```



```

+.....+.....+.....+.....+.....+.....+.....+.....+.+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
+.....+.....+.....+.....+.....+.....+.....+.....+.
+.....+.....+.....+.....+.....+.....+.....+.....+.....+.
> -----
> You are about to be asked to enter information that will be
incorporated
> into your certificate request.
> What you are about to enter is what is called a Distinguished Name or a
DN.
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[:Locality Name (eg, city) [:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) [:Common Name (eg,
your name or your server's hostname) [:Email Address [:
> Please enter the following 'extra' attributes
> to be sent with your certificate request
> A challenge password [:An optional company name [:Error adding
request extensions from section server
> 40D77E3985740000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 40D77E3985740000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 40D77E3985740000:error:11000079:X509 V3 routines:v2i_AUTHORITY_KEYID:no
issuer certificate:crypto/x509/v3_akid.c:156:
> 40D77E3985740000:error:11000080:X509 V3
routines:X509V3_EXT_nconf_int:error in
extension:crypto/x509/v3_conf.c:48:section=server,
name=authorityKeyIdentifier, value=keyid, issuer:always
>
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
+++++++*.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
+++++++*.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
>
.....+.....+.....+.....+.....+.....+.....+.....+.....*.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
+++++++*.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.
.....+.....+.....+.....+.....+.....+.....+.....+.....+.

```











```
> There are quite a few fields but you can leave some blank
> For some fields there will be a default value,
> If you enter '.', the field will be left blank.
> -----
> Country Name (2 letter code) [GB]:State or Province Name (full name)
[]:Locality Name (eg, city) []:Organization Name (eg, company) [My
Company Ltd]:Organizational Unit Name (eg, section) []:Common Name (eg,
your name or your server's hostname) []:Email Address []:
> Please enter the following 'extra' attributes
> to be sent with your certificate request
> A challenge password []:An optional company name []:Error adding
request extensions from section server
> 40F7E6D7F77E0000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 40F7E6D7F77E0000:error:04000067:object identifier
routines:OBJ_txt2obj:unknown object name:crypto/objects/obj_dat.c:426:
> 40F7E6D7F77E0000:error:11000079:X509 V3 routines:v2i_AUTHORITY_KEYID:no
issuer certificate:crypto/x509/v3_akid.c:156:
> 40F7E6D7F77E0000:error:11000080:X509 V3
routines:X509V3_EXT_nconf_int:error in
extension:crypto/x509/v3_conf.c:48:section=server,
name=authorityKeyIdentifier, value=keyid,issuer:always
```
```